

Comment on “Anyonic braiding in optical lattices”

Julien Vidal,^{1,*} Sébastien Dusuel,^{2,†} and Kai Phillip Schmidt^{3,‡}

¹*Laboratoire de Physique Théorique de la Matière Condensée, CNRS UMR 7600, Université Pierre et Marie Curie, 4 Place Jussieu, 75252 Paris Cedex 05, France*

²*Lycée Louis Thuillier, 70 Boulevard de Saint Quentin, 80098 Amiens Cedex 3, France*

³*Lehrstuhl für theoretische Physik, Otto-Hahn-Straße 4, D-44221 Dortmund, Germany*

In Ref. [1], C. Zhang *et al.* proposed an experimental scheme to detect the braiding statistics in Kitaev’s honeycomb model [2]. Although the perspective to observe anyons experimentally is very challenging, we would like to point out some major technical and conceptual mistakes which invalidate the conclusion drawn in [1].

Indeed, the study presented in [1] relies on a perturbation theory of the Kitaev model in the gapped phase ($J_z \gg J_x, J_y$) [2, 3]. At order 0, the low-energy eigenstates are built from collinear dimer configuration on each z -dimer. However, contrary to what is assumed in [1], this is no longer true when switching the perturbation on, as can be seen for instance in a first order calculation of the ground state correlation function $\langle \sigma_i^x \sigma_j^x \rangle = \frac{J_x}{2J_z}$ on a x -dimer (i, j) . This basic error has led the authors to propose a form of the ground state which gives $\langle \sigma_i^x \sigma_j^x \rangle \neq 0$ on a z -dimer (i, j) whereas exact results show that all two-spin correlations vanish except $\langle \sigma_i^\alpha \sigma_j^\alpha \rangle$ on a α -dimer [4].

In addition, all spin operations used in [1] to create anyons do also produce fermionic excitations that are likely to spoil the proposed detection set-up [5]. Once

again, we emphasize that this effect already occurs at first order in perturbation.

To summarize, results given in [1] are only valid for $J_x = J_y = 0$ where the model is trivial and all low-energy levels exactly degenerate. In other words, the proposal of measuring anyonic excitations suggested in [1] is strongly questionable.

* Electronic address: vidal@lptmc.jussieu.fr

† Electronic address: sdusuel@gmail.com

‡ Electronic address: schmidt@fkt.physik.uni-dortmund.de

- [1] C. Zhang, V. W. Scarola, S. Tewari, and S. Das Sarma, Proc. Natl. Acad. Sci. U.S.A. **104**, 18415 (2007).
- [2] A. Kitaev, Ann. Phys. **321**, 2 (2006).
- [3] K. P. Schmidt, S. Dusuel, and J. Vidal, arXiv:0709.3017 (accepted for publication in Phys. Rev. Lett.).
- [4] G. Baskaran, S. Mandal, and R. Shankar, Phys. Rev. Lett. **98**, 247201 (2007).
- [5] S. Dusuel, K. P. Schmidt, and J. Vidal, in preparation.